


# **IMMUNO BIOLOGY**

**THE IMMUNE SYSTEM IN HEALTH AND DISEASE**



**JANEWAY - TRAVERS**

# **IMMUNO BIOLOGY**

**THE IMMUNE SYSTEM IN HEALTH AND DISEASE**

**Charles A. Janeway, Jr.**

Yale University Medical School



**Paul Travers**

Birkbeck College, London University



Current Biology Ltd  
London, San Francisco and Philadelphia



Garland Publishing Inc  
New York and London

**Principal text editor:** Miranda Robertson  
**Text editors:** Rebecca Ward, Eleanor Lawrence  
**Project editor:** Rebecca Palmer  
**Assistant project editor:** Emma Dorey  
**Principal designer and illustrator:** Celia Welcomme  
**Designer:** Sylvia Purnell  
**Assistant illustrator:** Matthew McClements  
**Production:** Rebecca Spencer  
**Graphics software support:** Gary Brown  
**Proofreader:** Melanie Paton  
**Indexer:** Nina Boyd  
**Photo research:** Doug McGaughy, Tamsin Newmark

© 1994 by Current Biology Ltd./Garland Publishing Inc.  
All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means — electronic, mechanical, photocopying, recording or otherwise — without the prior written permission of the copyright holders.

#### **Distributors**

*Inside North America:* Garland Publishing Inc., 717 Fifth Avenue, New York, NY 10022, USA.

*Inside Japan:* Nankodo Co. Ltd., 42-6, Hongo 3-Chome, Bunkyo-ku, Tokyo 113, Japan.

*Outside North America and Japan:* Blackwell Scientific Publications, Osney Mead, Oxford OX2 0EL. Orders to: Marston Book Services Ltd, PO Box 87, Oxford OX2 0DT, UK.

*Australia:* Blackwell Scientific Publications Pty Ltd., 54 University Street, Carlton, Victoria 3053.

ISBN 0-8153-1497-3 (hardcover) Garland  
ISBN 0-8153-1691-7 (paperback) Garland  
ISBN 0-86542-811-5 (paperback) Blackwell

A catalog record for this book is available from the British Library.

#### **Library of Congress Cataloging-in-Publication Data**

Janeway, Charles.

Immunobiology: the immune system in health and disease/  
Charles A. Janeway, Jr., Paul Travers.

p. cm.

Includes bibliographical references and index.

ISBN 0-8153-1497-3 (hardcover). ISBN 0-8153-1691-7 (pbk.).

1. Immune System. 2. Immunity. I. Travers, Paul, 1956- .

#### **II. Title**

[DNLM: 1. Immune System--physiology. 2. Immune System--physiopathology. 3. Immunity--physiology. 4. Immunotherapy. QW 504 1994]

QR181.J37 1994

616.07'9--dc20

DNLM/DLC

for Library of Congress

94-11058  
CIP

This book was produced using Ventura Publisher 4.1 and CorelDraw 3.0.

Printed in Hong Kong by Paramount Printing Co. Ltd.

Published by Current Biology Ltd., Middlesex House, 34-42 Cleveland Street, London W1P 5FB, UK and Garland Publishing Inc., 717 Fifth Avenue, New York, NY 10022, USA.

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

Proteolytic enzymes (proteases) that cleave polypeptide sequences at particular amino acids have been used to probe the structure of antibody molecules. Limited digestion with the protease papain cleaves antibody molecules into three fragments (Fig. 3.4). Two fragments are identical and contain the antigen-binding activity, and these are termed the **Fab fragments**, for **F**ragment **a**ntigen **b**inding. The other fragment contains no antigen-binding activity but crystallizes readily, and for this reason it is named the **Fc fragment**, for **F**ragment **c**rystallizable. The Fab fragments correspond to the arms of the antibody molecule that contain the complete light chains paired with the  $V_H$  and  $C_H1$  domains of the heavy chains, whereas the Fc fragment corresponds to the paired  $C_H2$  and  $C_H3$  domains. The disulfide bridges between the heavy chains lie in the short hinge region between the  $C_H1$  and  $C_H2$  domains. As illustrated in Fig. 3.4, papain cleaves the antibody molecule on the amino-terminal side of the disulfide bridges, releasing the two arms of the antibody as separate Fab fragments, while the carboxy-terminal halves of the heavy chains remain linked, forming the Fc fragment. Another protease, pepsin, cleaves in the same region of the antibody molecule but on the carboxy-terminal side of the disulfide bridges (see Fig. 3.4), producing a fragment, the  $F(ab')_2$  fragment, in which the two arms of the antibody molecule remain linked.

Electron microscopy of antibody complexes with a bivalent hapten capable of crosslinking two antigen-binding sites demonstrates that the hinge region is flexible and that the angle between the two Fab arms can vary (Fig. 3.5). Such flexibility is required to allow the binding of both arms of the antibody molecule to sites that are different distances apart, as occurs with sites on bacterial cell wall polysaccharides. It is thought that flexibility



**Fig. 3.4** The Y-shaped immunoglobulin molecule can be dissected by partial digestion with proteases. Papain cleaves the immunoglobulin molecule into three pieces, two Fab fragments and one Fc fragment (upper panels). Pepsin cleaves an immunoglobulin to yield one  $F(ab')_2$  fragment and many small pieces of the Fc fragment, the largest of which is called the pFc' fragment (lower panels).